

03-26-01



SIEMENS Corporation

IPD-West Coast  
186 Wood Avenue South  
Iselin, NJ 08830PATENT APPLICATION  
Attorney Docket No. : 2001 P 05291 US

A

J1036 U.S. PTO  
09/616838  
03/23/01

Express Mail Label No.:EL395672546US  
Date of Deposit: March 23, 2001

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

THE ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231TRANSMITTAL LETTER FOR NEW APPLICATION

Sir:

Transmitted herewith for filing is a(n)  Original patent application.  
 Utility       Design       Continuation-in-part applicationINVENTOR(S): Peggy M. Stumer, David J. Swartz, Nissim Ozery, David A. Vander Meiden and  
Charles GoodmanTITLE: METHODS AND APPARATUS FOR TRANSMITTING ACCURATE EMERGENCY  
LOCATION IDENTIFICATION NUMBERS (ELINs) AFTER AN EMERGENCY CALLER  
DISCONNECTS

Enclosed with this transmittal (submitted in duplicate) are the following:

20 page specification, claims and abstract.  
 6 sheets of drawings  formal drawings  informal drawings (one set)  
 The Declaration and Power of Attorney  signed  unsigned  
 Information Disclosure Statement with PTO1449  
 Filing fee has been calculated as shown below (other than small entity):

For	Number Filed	Number Extra	Rate	Additional Fees
Total Claims	18 - 20	= 0	x \$ 18	\$ 0.00
Indep. Claims	2 - 3	= 0	x \$ 80	\$ 0.00
[ ] First Presentation of a Multiple Dependent Claim			x \$270	\$ 0.00
			Basic filing Fee	\$710.00
			Total	\$710.00

Please charge my Deposit Account No. 19-2179 in the amount of \$ 710.00. The Commissioner is hereby authorized to charge any fees that may be required, or credit any overpayment to Deposit Account No. 19-2179 pursuant to 37 CFR 1.25. A duplicate copy of this sheet is enclosed.

## PLEASE MAIL CORRESPONDENCE TO:

Siemens Corporation  
Attn: Elsa Kehler, Legal Administrator  
Intellectual Property Department  
186 Wood Avenue South  
Iselin, NJ 08830

Respectfully submitted,

*Stuart P. Kaler*  
 Stuart P. Kaler  
 Attorney for Applicant(s)  
 Reg. No.: 35,913  
 Date: 23 MAR 01  
 Telephone: 408-492-2735